	Type	Hits	Search Text	DBs
1	BRS	1757	stratum$3 same (clock$1 or oscillator$1 or tim$3)	USPAT
2	BRS	8	(stratum$3 same (clock$1 or oscillator$1 or tim$3)) and cpe	USPAT
3	BRS	15	379/$.ccls. and (clock same (common adj4 reference))	USPAT
4	BRS	32	cpe and (common adj3 reference)	USPAT
5	BRS	17	(cpe and (common adj3 reference)) and clock	USPAT
6	BRS	668	(clock same (common adj4 reference))	USPAT
7	BRS	202	((clock same (common adj4 reference))) and test$3	USPAT
8	BRS	28	(clock same (common adj4 reference)) same test$3	USPAT
9	BRS	7658	stratum$3	USPAT
10	BRS	1463	stratum$3 and testing	USPAT
11	BRS	245	stratum$3 and clock	USPAT
12	BRS	15	stratum$3 and 379/$.ccls.	USPAT
13	BRS	5	5691976.URPN.	USPAT
14	BRS	283	379/$.ccls. and (master adj3 clock)	USPAT
15	BRS	180	(379/$.ccls. and (master adj3 clock)) and generator$1	USPAT
16	BRS	97	(379/$.ccls. and (master adj3 clock)) and testing	USPAT
17	BRS	61	((379/$.ccls. and (master adj3 clock)) and generator$1) and ((379/$.ccls. and (master adj3 clock)) and testing)	USPAT
18	BRS	366	(stratum$3 same (clock$1 or oscillator$1 or tim$3)) and testing	USPAT
19	BRS	219	(stratum$3 same (clock$1 or oscillator$1 or tim$3)) and (generator$1)	USPAT
20	BRS	0	(stratum$3 same (clock$1 or oscillator$1 or tim$3)) and (call adj2 generator$1)	USPAT
21	BRS	0	stratum$3 and (call adj2 generator$1)	USPAT
22	BRS	691	stratum$3 and (generator$1)	USPAT
23	BRS	3	stratum$3 sand (tone adj3 generator$1)	USPAT

	Time Stamp	Comments	Error Definition	Errors
1	2002/08/14 11:38			0
2	2002/08/14 12:05			0
3	2002/08/14 12:08			0
4	2002/08/14 11:53			0
5	2002/08/14 11:53			0
6	2002/08/14 11:56			0
7	2002/08/14 11:56			0
8	2002/08/14 11:59			0
9	2002/08/14 11:59			0
10	2002/08/14 11:59			0
11	2002/08/14 11:59			0
12	2002/08/14 12:01			0
13	2002/08/14 12:00			0
14	2002/08/14 12:02			0
15	2002/08/14 12:02			0
16	2002/08/14 12:02			0
17	2002/08/14 12:03			0
18	2002/08/14 12:05			0
19	2002/08/14 12:06			0
20	2002/08/14 12:07			0
21	2002/08/14 12:07			0
22	2002/08/14 12:07			0
23	2002/08/14 12:07			0

	Type	Hits	Search Text	DBs
24	BRS	700	(clock$1 same (common adj4 reference))	USPAT
25	BRS	0	((clock$1 same (common adj4 reference))) and (gerator$1)	USPAT
26	BRS	407	((clock$1 same (common adj4 reference))) and (generator$1)	USPAT
27	BRS	98	(clock$1 same (common adj4 reference)) same generator$1	USPAT
28	BRS	0	6144675.URPN.	USPAT
29	BRS	4	("4937811" | "5206857" | "5499275" | "5935214").PN.	USPAT
30	BRS	136	cpe and ("same" adj3 reference)	USPAT
31	BRS	47	(cpe and ("same" adj3 reference)) and generator$1	USPAT
32	BRS	46	(cpe and ("same" adj3 reference)) and 379/$.ccls.	USPAT
33	BRS	14	((cpe and ("same" adj3 reference)) and generator$1) and ((cpe and ("same" adj3 reference)) and 379/$.ccls.)	USPAT
34	BRS	86	cpe same clock$1	USPAT
35	BRS	41266	379/$.ccls.	USPAT
36	BRS	17	(cpe same clock$1) and 379/$.ccls.	USPAT
37	BRS	120	cpe and (snr or (signal adj2 noise))	USPAT
38	BRS	101	cpe and (signal adj3 delay$2)	USPAT
39	BRS	799	cpe same test$3	USPAT
40	BRS	830	cpe$1 same test$3	USPAT
41	BRS	66	(cpe$1 same test$3) and clock$1	USPAT
42	BRS	62	(cpe$1 same test$3) and 379/$.ccls.	USPAT
43	BRS	18	((cpe$1 same test$3) and clock$1) and ((cpe$1 same test$3) and 379/$.ccls.)	USPAT
44	BRS	41266	379/$.ccls.	USPAT
45	BRS	246	379/$.ccls. and (first adj2 clock)	USPAT
46	BRS	144	(379/$.ccls. and (first adj2 clock)) and (second adj2 clock)	USPAT